

# Index

- Activation level, 196–197, 199–200, 202–205, 210
- Activity-based model, 126, 139–141, 190, 214
- Activity-based travel demand models, 2
- Activity-travel behaviour, 117, 158, 189–210
- Activity-travel choice task, 122
- Advantage maximization, 10
- Agent-based models, 213, 228–229
- Albatross, 138, 140, 151–154, 157–159
- Aspiration levels, 7
- Aspirations, 189–191, 195, 198–201, 204–206, 209–210
- Association pattern technique, 120
- Attribute, 1, 3–12, 14–20, 22, 24–25, 32–37, 46, 55–56, 63, 66, 68, 73–76, 79–85, 87–89, 91–93, 96–105, 111, 119–121, 123, 125–126, 129–130, 147, 157, 193–194, 196, 198, 236, 246
- Attribute non-attendance (ANA), 1, 17–18, 73–81, 83–92
- Attributes, 1–10, 13–21, 23–25, 31–33, 35–39, 41, 46, 51, 53, 59, 62, 66, 68–69, 73–84, 86–89, 92, 96, 98–102, 105, 115, 117–121, 123, 125–131, 157, 192–194, 197–198, 215–218, 229, 235–237, 244, 246–249
- Awareness, 195, 199–200
- Awareness reinforcement parameter, 195
- Awareness retention rate, 195, 200
- Bayesian Decision Network, 118
- Bayesian learning, 218
- Bayesian networks, 137–138, 141–142, 144–146, 149, 152–156, 158–159
- Bayesian updating, xviii
- Behavioural change, 222, 246–248
- Behavioural economics, 56, 235, 244
- Behavioural equilibrium, 190, 229, 247
- Beliefs, 102–103, 105–107, 116, 191, 193, 199–200, 215–219, 225–226, 228
- Benefits, 115–119, 121, 123, 125–126, 128–131, 221, 237
- Bias, 59, 76, 81, 92, 122, 239
- BNT classifier, 137, 143, 149–150, 152–159
- Bounded rationality, 1, 3, 5–7, 9–11, 13, 15, 17, 19, 21, 23, 25–26, 51, 68–69, 74, 95–96, 98, 102, 111, 137–141, 143, 145, 147, 149, 151, 153, 155, 157, 163–165, 167, 169–171, 173, 175, 177, 179, 181, 189, 191, 209, 213, 215, 222, 226, 228, 234–235, 244, 249
- Causal knowledge, 115, 118
- Causal network, 115, 117–118, 120, 129
- Causal Network Elicitation Technique (CNET), 115, 117, 121–122, 132
- CB-CNET, 122
- Censored normal distribution, 75
- Centrality of variables, 129
- Choice complexity, 74–75

- Choice set, 1, 3–8, 10, 12–14, 19–21, 23–25, 38, 50–55, 57–58, 62–64, 66, 68–69, 97, 111, 119, 123, 126, 131, 190–198, 200, 202–204, 206, 208, 210
- Choice set formation, 19, 23, 25, 191–192, 194
- Choice set generation, 23–24, 54–55, 62–63
- CNET card game, 122
- Cognitive mapping, 119
- Cognitive maps, 116
- Cognitive responses, 193
- Cognitive space, 4, 6–8, 20, 25
- Cognitive subsets, 123, 125–126, 128–130
- Compensatory choice, 25, 75
- Competing destination model, 11
- Compromise alternatives, 10
- Conjunctive decision rule, 6–8, 20, 23
- Consideration set, 4, 6, 15, 19–21, 23–24
- Constrained latent class model, 76
- Construal Level Theory, 119
- Context-dependent choice models, 10–11
- Cumulative Prospect Theory (CPT), 142–143, 235, 240–242, 245, 248–249
- Decision process, 1–4, 19, 38, 77, 95–98, 100–101, 111–112, 117–118, 140, 215, 220, 225
- Decision rule, 1, 6–8, 10, 20, 23, 25, 31–33, 38, 41, 46, 97, 137–138, 141, 146–147, 149, 154, 156, 158–159, 213–217, 222–223, 225, 235
- Decision rules, 1, 6–7, 10, 23, 25, 31–33, 38, 41, 46, 97, 137–138, 141, 146–147, 149, 154, 156, 158–159, 213–217, 222–223, 225
- Decision strategies, 74, 107, 111
- Decision trees, 137–138, 146, 149, 152–154, 157–159
- Descriptive theory, 163, 213, 215, 229
- Dirichlet distribution, 218
- Disjunctive rule, 7–8, 14, 96
- Dynamics, 2, 163, 168, 189–193, 195, 197–199, 201, 203, 205, 207, 209–210, 213, 223, 227–229
- Dynamic traffic assignment, 163–165, 167, 169, 171, 173, 175, 177, 179, 181
- Dynamic user optimal, 163, 169, 172
- E-Commerce, 123–128, 130–131
- Elimination by aspects, 38
- Emotional responses, 191, 193–194, 199, 206, 210
- Entropy measure, 74, 149
- Error variance, 74–75
- Expected utility, 23, 137, 193–194, 196–197, 200–201, 203–205, 207–208, 210, 233, 235–237, 239
- Expected Utility-maximization (EUT), 137–138, 193–194, 235–237, 239, 242
- Exploitation, 197–198, 200, 202–205, 207–209
- Exploration, 132, 191, 197–198, 200, 202–210, 229
- Feasibility, 2, 177, 179
- Forgetting, 189, 191, 199–200, 202, 209, 216, 218
- Four-step model, 2, 214
- Gap function, 175, 177
- G-RRM, 33–39, 41, 46
- Habit formation, 189, 191, 196, 199
- Hard laddering, 120
- Heterogeneity, 4, 18, 25, 31–33, 41, 46, 53, 58–60, 69, 76–77, 80–81, 92, 95–96, 111, 116–117, 131–132, 248
- Heuristic, 15, 20, 22–25, 74, 95–97, 99–107, 109, 111–112, 140–141, 171, 177, 214, 228
- Hidden Markov chain, 213, 222–223

- Hierarchical value maps, 120  
 Hyperbolic response curve, 9  
 Inertia, 190, 196  
 Inferred attribute non-attendance, 73  
 Influences on attribute non-attendance, 73–93  
 Information load, 73–77, 79–81, 83–85, 87–89, 91–92  
 Instrumental Variable, 220–221  
 Interview protocol, 121  
 Laddering, 116, 120, 132  
 Latent Class, 5, 17–18, 31–33, 37–39, 46, 54, 74, 76–78, 96, 116  
 Latent class model, 17, 54, 74, 76, 96  
 Learning, 132, 137–138, 140–143, 145–146, 152, 163, 189, 191, 199, 209, 213–218, 223, 227–229, 248–249  
 Lexicographic rule, 1, 14–17, 23, 75, 95–97, 100, 111  
 Lexicographic choice, 14, 23, 75  
 Lexicographic semi-order, 15  
 $\delta$ -logit, 19  
 Lognormal distribution, 81, 84, 91  
 Long-term change, 190–191, 198–199, 207  
 Maximax decision rule, 9  
 Maximin decision rule, 9  
 Means-end-chain, 120–121  
 Means-end-chain theory, 120  
 Memory decay, 189, 195  
 Memory retrieval ability, 195  
 Mental effort, 25, 95, 97, 102–103, 105–107, 111–112, 119, 217  
 Mental maps, 116  
 Mental representations, 115–117, 119–123, 125–127, 129–132  
 Mind reading, 119  
 Minimax decision rule, 9  
 Minimum awareness level, 195  
 Minimum difference lexicographic rule, 15  
 Mixed Logit, 116  
 Mixture model, 31–33, 37  
 Multidimensional decisions, 214  
 Multinomial logit, 2–3, 5, 10, 22–24, 50, 52, 77, 95, 98  
 Multiple context dependency, 49  
 Needs, 33, 91, 103–105, 115–119, 125–126, 131–132, 151, 159, 192, 198, 200, 210, 214, 217, 220, 229, 233  
 Network equilibrium, 245–247  
 Non-compensatory model, 23, 96  
 Nonlinear complementarity problem, 163, 171, 174  
 Nudge, 226, 247  
 Number of alternatives, 20, 25, 54, 73–75, 80, 86–87, 89, 92, 206  
 number of attribute levels, 15, 73, 75, 80, 87, 92  
 number of attributes, 18, 32, 73–75, 80–82, 86–87, 89, 92, 96, 123, 125–126  
 number of choice tasks, 80, 86–87, 89  
 range of attribute levels, 81, 89  
 Online shopping, 122, 123, 126, 130, 131, 132  
 Ordered heterogeneous logit model, 75, 87  
 Passive bounded rationality model, 74  
 Perceived search cost, 217, 219–221  
 Predicted irrationality, 247  
 Preference heterogeneity, 76–77, 80–81, 92, 116  
 Priming, 132  
 Prospect, 49, 51, 56, 64, 66–68, 233–235, 237–241, 243–250  
 Prospect Theory (PT), 51, 56, 64, 233–235, 237–250  
 Random parameters attribute non-attendance (RPANA) model, 73–74, 76–78, 80–81, 83–88, 90–92

- Random Utility Models (RUM), 25, 31, 33–39, 41, 45–46, 49, 51, 132, 234, 250
- Rationally adaptive model, 74–75, 92
- Recall techniques, 119, 120, 132
- Recognition techniques, 119
- Reference point, 5, 9, 13, 49–52, 68–69, 237–238, 242–244, 246–249
- Regret, 1, 3, 9–13, 25, 31–37, 39, 41, 43, 45, 49, 56, 64–68, 103, 250
- Regret-based choice models, 3
- Regret minimization, 13
- Regret-weight, 32–37
- Reinforcement, 195
- Relative advantage model, 13
- Relative utility, 10, 13–14, 25, 49–69
- Reluctance to change, 196
- Reporting error, 73, 75, 84
- Risk aversion, 236, 238
- Risk/loss asymmetry, 238
- Route choice principle, 169, 172, 174
- Route-swapping algorithm, 177
- RRM, 32–39, 41, 45–46, 64–69
- Rule complexity reduction, 137
- RUM, 31, 33–39, 41, 45–46, 132, 234, 250
- SAM, 156–157
- Satisficing states, 7
- Satisficing theory, 195
- Shopping behavior, 95, 97, 112
- Short-term change, 196, 198
- Similarity, 10–12, 58, 60–61, 68, 74, 119, 157
- Situational dependence, 117, 131
- Stated adaptation, 210, 224, 229
- Stated adaptation experiment, 210, 224
- Stated attribute non-attendance, 17, 75, 83, 84
- Stated choice, 17, 31, 46, 66, 75, 80–81, 92
- Stress, 189–191, 195–201, 210
- String recognition algorithm, 122
- Subjective search gain, 217, 219, 222, 228
- Supervised learning, 137, 146
- Taste heterogeneity, 18, 46, 116
- Threshold utility value, 7
- Tolerance, 163, 171–174, 176–177, 179–181, 191, 196–197, 199, 210
- Tolerance based principle, 181
- Traffic flow component, 166–167, 174
- Transformation function, 173, 176–177
- Travel behavior, 1–3, 31, 138, 139, 141, 190, 234, 235, 244, 248–249
- Travel behavior forecasting, 2, 214
- Type I strategy, 74
- Type II strategy, 74
- Unsupervised learning, 146
- User equilibrium, 164, 168–172, 179, 181, 229, 246–247
- Utility, 1–3, 5–11, 13–20, 22–25, 31–33, 35, 37, 39, 41, 43, 45, 49–70, 78–79, 95–97, 104, 111–112, 116, 137, 140, 158, 169, 193–198, 200–201, 203–205, 207–210, 214–215, 223, 228, 233–239, 242, 250
- Utility maximization theory, 13, 158
- Utility-maximizing behavior, 111
- Utility space, 6–8, 13, 15, 20, 25
- Valence framing, 246, 248
- Value function, 109, 238, 240–241, 247–248
- Value judgments, 5–6
- Weight function, 241
- Willingness to accept (WTA), 246–247
- Willingness to pay (WTP), 73–74, 83, 88, 90–91, 244, 246–247
- Working memory, 117–118