

# Index

- abort, 68–69
- access, 58
- Activated Rules (AR), 27, 32
- Active self-evolving pattern, 15
- add, 57
- address, 52
- ADDRESS, 48
- advance, 60–61
- Advancement, 60–62
- Aerial scenario, 125–126
- align, 62
- all, 44
- allother, 44
- allowed, 67–68
- and, 64
- and\_parallel, 64
- and\_sequence, 64
- any, 44
- Any path between nodes, 80–81
- append, 58
- apply, 58
- Armed conflicts, 11–12
- Articulation points, 88
- assign, 60
- Assignment, 60
- assignpeers, 60
- asynchronous, 45
- attach, 57
- Automatic command and control, 31–34
- average, 56–57
  
- BACK, 49
- Backward, 45
- Battle-related deaths, 12
- belong, 59
- bigger, 59
- blind, 68–69
  
- branch, 62–63
- Branching, 62–65
  
- call, 66
- center, 52
- Center for Security Studies (CSS), 13
- Centralized security bodies, 132
- Centres of communities, 90–91
- Changing network structures, 88–90
- choose, 64
- Climate change, 1
- Cliques, 87–88
- Collective evacuation, 77–78
- Collision avoidance, 98–99
- Command and Control (C2) network, 94
- common, 58
- Communication Processor (CP), 30
- Complexly moving objects, 95–97
- Components of SGL interpreter, 25
- Compound constants, 45–46
- Conflicts, 2
- constant, 52
- Constants, 18
- contain, 68
- content, 52
- CONTENT, 48
- Controlling spread of conflict, 74–76
- Control Processor (COP), 31
- coordinate, 52
- count, 56
- create, 54–55

- Creation, 54–55
- Crisis and security management,
  - 1–2
- current, 44
- Custom constants, 43
- Cyber attacks, 1–2
- cycle, 65
  
- Danger pattern, 106–109
- DARPA mosaic concept, 3,
  - 113–115
- DARPA Mosaic Warfare concept,
  - 3, 131–133
- Data structures of the interpreter,
  - 25–29
  - Activated Rules (AR), 27
  - Environmental Variables (EV),
    - 28–29
  - Frontal Variables (FV), 28
  - Global Variables (GV), 29
  - Grasps Identities (GI), 28
  - Grasps Queue (GQ), 26
  - Heritable Variables (HV), 28
  - Incoming Queue (IQ), 29
  - Knowledge Network (KN), 27
  - Nodal Variables (NV), 28
  - Outgoing Queue (OQ), 29
  - Suspended Grasps (SG), 26
  - Track Forest (TF), 27
- decrement, 58
- degree, 57
- delete, 55
- direct, 45
- DIRECTION, 50
- Disaster zone, 77–78
- Distances, 90–91
- Distributed driverless platoon
  - management, 126–128
- Distributed infrastructures, 17, 19
- Distributed mosaic simulation
  - DARPA mosaic concept,
    - 113–115
  - distributed driverless platoon
    - management, 126–128
  - hierarchical command and
    - control, 122–125
  - SGT-based, 116–122
  - swarm against swarm aerial
    - scenario, 125–126
- Distributed operations, 86–90
- Distributed sensor networks,
  - 95–97
- divide, 57
- doer, 53
- DOER, 49
- done, 23, 44
- Driverless platoon management,
  - 126–128
  
- Echoed space navigation, 98–99
- Echoing, 55–59
- Echoing via tracks, 33
- element, 57
- Elementary programming
  - examples, 70–71
- emit, 67
- empty, 59
- engaged, 45
- environmental, 52
- Environmental dangers, 10–11
- Environmental variables (EV), 22,
  - 28–29, 48–51
- Epidemics, 9–10
- equal, 59
- Exchange, 66–67
- Execution-physical world (EPW),
  - 20
- executive, 45
- Executive world (EW), 19–20
- existing, 45
- Explored features, 131–133
  
- fail, 23, 44
- fatal, 23, 44

- Finding strongest sub-networks, 87–88
- Finding suspects, 73–74
  - first, 56–57
  - firstcome, 45
  - follow, 54
  - forward, 45
- Forward grasping, 32–33
  - free, 68
  - fringe, 62
  - fromto, 57
  - frontal, 52
- Frontal variables (FV), 22, 28, 31, 47
- Functional processors of the interpreter, 29–31
  - Communication Processor (CP), 30
  - Control Processor (COP), 31
  - Navigation Processor (NP), 30
  - Operation Processors (OP), 30
  - Parser (P), 30
  - World Access Unit (WAU), 31
- Future plans, 133–134
- Gestalt explaining examples, 34
- Gestalt psychology and theory, 133
  - get, 67
  - global, 52
- Global peace index 2017, 12
- Global security, 1–2
- Global terrorism, 1–2
- Global variables (GV), 22, 29, 46
- Grasping, 69
- Grasps, 45–46
- Grasps identities (GI), 28
- Grasps queue (GQ), 26
- Grouping neighboring elements, 116–117
  - heavier, 59
  - heritable, 52
- Heritable variables (HV), 22, 28, 31
- Hierarchical command and control
  - full scenario integration, 124–125
  - networked units, initial distribution of, 122
  - runtime infrastructure, 123
  - swarm movement scenario, 122
  - targets collection and distribution and impact, 123–124
  - topologically central unit, 123
- Hierarchical merge, 23–24
  - hop, 53
  - hopfirst, 53–54
  - hopforth, 54
- IDENTITY, 50–51
- if, 63
- Impacting danger element, 117–122
- IN, 51
- Incoming queue (IQ), 29
  - increment, 58
  - index, 52
  - infinite, 44
- Information, 42–43
  - number, 42–43
  - scenario, 42
  - string, 42
- input, 66
- Internal armed conflict, 12
- International conflicts
  - nuclear war, probabilities of, 105
  - relations complexity between countries, 103–104
  - world nuclear powers and weapons distribution, 104–105

International Criminal Law (ICL),  
11–12

International Humanitarian Law  
(IHL), 11–12

Internationalized internal armed  
conflict, 12

International Relations and  
Security Network (ISN),  
13

International security, 1–2

International security bodies and  
measures, 13–14

security networks, 13

security technologies, 14

United Nations, 13

International Security Networks,  
14

Interoperability ideology, 5

Interpreter organization, SGL  
components and their  
interactions, 25

data structures of, 25–29

functional processors, 29–31

intersect, 59

Interstate armed conflict, 12

invert, 58

Knowledge infrastructures,  
15–16

Knowledge network (KN), 27

last, 56–57

less, 59

lessorequal, 59

lift, 69

lighter, 59

link, 53

LINK, 50

linkup, 55

location, 58–59

longer, 59

loop, 65

Management models and  
technologies, 2–5

matter, 52

max, 56–57

min, 56–57

Missile defence management, 1–2

main stages, 93–94

scenario, 93–95

in SGL, 94–95

more, 59

moreorequal, 59

Mosaic space, 116

move, 54

Movement, 53–54

Moving objects

distributed sensor networks,  
95–97

missile defence scenario, 93–95

refugees flow, 99–100

space objects movement, 97–99

Multiplex world, 1

multiply, 57

Multi-source coverage, 16

name, 52

NAME, 48

Natural disasters, 1–2

Navigation processor (NP), 30

neighbors, 45

Network creation, 79–80

Networked structures

articulation points, 88

changing, 88–90

sub-networks, or cliques, 87–88

Networked units, distribution, 122

Network management basics

network creation, 79–80

path between nodes, 80–81

routing tables (RT), 84–86

Shortest Path Tree (SPT),  
82–84

Spanning Tree (ST), 81–82

neutral, 45

- New organizational and
  - management models and technologies, 2–5
- nil, 44
- no, 59
- nodal, 52
- Nodal variables (NV), 22, 28, 32
- node, 53
- nonempty, 59
- nonequal, 59
- notbelong, 59
- notintersect, 59
- Nuclear danger patterns
  - complex 4-node danger pattern, 108–109
  - multiple nodes, 109–112
  - 3-node danger pattern, 106–108
- Nuclear war, 1, 105
- Nuclear weapons, 2, 103
- Number, 42–43
- number, 52
  
- Operation processors (OP), 30
- or, 63
- order, 56
- Organizational models and technologies, 2–5
- Organization of SGL interpreter components and their interactions, 25, 26
- data structures of, 25–29
- functional processors, 29–31
- or\_parallel, 63–64
- or\_sequence, 63
- other, 44
- OUT, 51
- Outgoing queue (OQ), 29
- output, 66
- “Over-operability,” 5
  
- parallel, 63
- Parser (P), 30
  - passed, 44
- Path between nodes, 80–81
- Pattern with multiple nodes, 109–112
- physical, 45
- Physical matter, 43
- Physical world (PW), 19
- Platooning, 126
- Post-liberal security, 1–2
- PREDECESSOR, 49
- PREVIOUS, 49
- Probabilities of nuclear war, 105
  
- Qualification, 68–69
- QUALITIES, 49
- quickest, 64
- quit, 68–69
  
- rake, 56
- random, 56–57
- range, 53
- receive, 67
- Recursive structure, 17–18
- Refugees crises, 11
- Refugees flow, 99–100
- Relations complexity between countries, 103–104
- release, 68
- Religious conflicts, 1–2
- repeat, 61–62
- RESOURCES, 49–50
- reverse, 57
- Routing tables (RT), 84–86
- Rules, 19
- run, 66
- Runtime infrastructure, 123
  
- Scenario, 42
- scenario, 52
- Security issues in concrete areas, 9–13
  - armed conflicts, 11–12
  - environmental dangers, 10–11

- epidemics, 9–10
- refugees crises, 11
- terrorism, 12–13
- world religious diversity, 10
- Security management
  - distributed sensor networks, 95–97
  - missile defence scenario, 93–95
  - refugees flow, 99–100
  - space objects movement, 97–99
- Security networks, 13
- Security related management
  - disaster zone, collective
    - evacuation from, 77–78
  - finding suspects worldwide, 73–74
  - spread of conflict, 74–76
  - territorial conquest, distributed
    - simulation of, 76–77
- Security technologies, 14
  - seize, 69
- Self-spreading spatial intelligence, 15
- send, 66–67
- Sensor network, 96
  - separate, 57
  - sequence, 63
- SGL constants, 41–46
  - compound constants, or grasps, 45–46
  - custom constants, 43
  - information, 42–43
  - physical matter, 43
  - special constants, 44–45
- SGL control states, 23–24
- SGL distributed interpretation, 24–25
- SGL interpreter organization, 25–34
  - components and organization, 25
  - data structures, 25–29
  - functional processors, 29–31
  - tracks-based automatic
    - command and control, 31–34
- SGL recursive structure, 18
- SGL rules, 51–69
  - advancement, 60–62
  - assignment, 60
  - branching, 62–65
  - creation, 54–55
  - echoing, 55–59
  - exchange, 66–67
  - grasping, 69
  - movement, 53–54
  - qualification, 68–69
  - timing, 67–68
  - transference, 66
  - type, 51–52
  - usage, 52–53
  - verification, 59
- SGL syntax and main constructs, 37–39
- SGL variables, 46–51
  - environmental variables, 48–51
  - frontal variables, 47
  - global variables, 46
  - heritable variables, 46–47
  - nodal variables, 47–48
- shift, 54
- shorter, 59
- Shortest Path Tree (SPT), 82–84
- sleep, 67
- slide, 61
- sling, 65
- smaller, 59
- sortdown, 57
- sortup, 57
- Space navigation with collision
  - avoidance, 98–99
- Space objects movement, 97–99
  - space navigation with collision
    - avoidance, 98–99
  - virtual object copies, 97–98

- Spanning Tree (ST), 81–82
- Spatial control, moving objects
  - distributed sensor networks, 95–97
  - missile defence scenario, 93–95
  - refugees flow, 99–100
  - space objects movement, 97–99
- Spatial grasp language (SGL), 4
  - basic elements, 18–19
  - constants, 18, 41–46
  - control states and their hierarchical merge, 23–24
  - details, 19–24
  - distributed interpretation, 24–25
  - elementary programming examples in, 70–71
  - features, 16–24
  - Gestalt psychology and theory, 34–35
  - idea, 15–16
  - interpreter organization, 25–34
    - components and organization, 25
    - data structures, 25–29
    - functional processors, 29–31
    - tracks-based automatic command and control, 31–34
  - recursive structure, 17–18
  - rules, 19, 51–69
  - scenarios, 20–21
  - sense and nature, rules, 21–22
  - syntax and main constructs, 37–39
  - top-level, 39–41
  - variables, 18–19, 22–23, 46–51
  - worlds, 19–20
- Spatial grasp model. *See* Spatial grasp language (SGL)
- Spatial grasp paradigm, 4–5
- Spatial grasp technology (SGT), 1–2, 115
  - distributed mosaic simulation
    - collective surrounding and danger element impact, 117–122
  - grouping particular type neighboring elements, 116–117
  - mosaic space, networked representation of, 116
  - idea, 15–16
- Special constants, 44–45
- speed, 52
- split, 65–66
- Spreading spatial patterns, 17
- state, 56
- STATE, 50
- STATUS, 51
- stay, 69
- String, 42
- string, 52
- Sub-networks, 87–88
- subtract, 57
- sum, 56
- Suspended Grasps (SG), 26, 32
- Swarm against swarm, 125–126
- Swarming, 113, 122–125
- Swarm movement scenario, 122
- Swiss-sponsored International Security Forum (ISF), 13
- synchronous, 45
- “System of systems” model, 3
- Technological disruption, 1
- Territorial conquest, 76–77
- Terrorism, 12–13
- thru, 23, 44
- time, 52
- TIME, 50
- Timing, 67–68
- Topologically central unit, 123

- Tracing moving objects, 95–97
- Track components, 31–32
- Track Forest (TF), 27
- Track links, 31
- Track nodes, 31
- Tracks-based automatic command and control
  - components and links, 31–32
  - development via tracks, 33–34
  - echoing via tracks, 33
  - tracks-based forward grasping, 32–33
- Tracks optimization, 32
- Transference, 66
- Type, 51–52
- TYPE, 48
  
- unique, 45
- unit, 56
- unite, 57
- United Nations, 13
- unlink, 55
- Unmanned, 3, 4–5, 16–17, 113–114
- UN Security Council, 13
- Usage, 52–53
  
- vacant, 45
- VALUE, 50
- Variables, 18–19, 22–23, 46–51
  - environmental, 48–51
  - frontal, 47
  - global, 46
  - heritable, 46–47
  - nodal, 47–48
- Verification, 59
- virtual, 45
- Virtual-execution-physical world (VEPW), 20
- Virtual-Execution World (VEW), 20
- Virtual object copies, 97–98
- Virtual-physical world (VPW), 20
- Virtual world (VW), 19
  
- WAVE, 4–5, 15, 133
- Weapons distribution, 104–105
- WHEN, 50
- WHERE, 49
- whirl, 65
- withdraw, 58
- Word crises, 132
- Word security problems, 131–133
- World Access Unit (WAU), 31
- World crisis, 133
- World dynamics, 1–2
- World nodes, 32
- World nuclear powers and weapons distribution, 104–105
- World religious diversity, 10
  
- yes, 59